



STANDARD VINYL WALLCOVERINGS

This document must not be used for final color selection. Please request a color selector from your local Moderco distributor.



ORLEANS



Beignet R921-01



Damask R921-21



Fine Silver R921-90



Counting Glass R921-78



Ring for the Butler R921-99



Checkers & Chess R921-98



Fleur de Lis R921-07



Inscription R921-03



French Quarter R921-13



Creole R921-08



Joie de Vivre R921-05



Trousseaux R921-71


This document must not be used for final color selection. Please request a color selector from your local Moderco distributor.



DESTINY



Enchanted 2D21-26




Illusion 2D21-12



Seashell 2D21-40




Fawn 2D21-55



Dark Ash 2D21-99




Fascination 2D21-77



Aquatic 2D21-83




Shale 2D21-94



Mineral 2D21-96



Landscape 2D21-44



Mottled 2D21-18




Basketry 2D21-62

This document must not be used for final color selection. Please request a color selector from your local Moderco distributor.



ENIGMA



Jute E922-07




Flax E922-06



Lake E922-09



Larkspur E922-05




Mica E922-11



Shale E922-08



Sorrel E922-04



Alabaster E922-10



Spring Mint E922-02

This document must not be used for final color selection. Please request a color selector from your local Moderco distributor.



DESERT SAND



Dionis 5521-93



Silk 5921-27



Platinum 5721-96



Quarry 5621-19



Gray Angora 5721-93



Silver Spring 5921-96

KIMONO II



Brocade K722-06




Alabaster K722-03



Desert K722-08



Dune K722-19



Stone K722-16



China Silk K722-28



Technical Data

Total weight all other patterns	20 oz./lin.yard
Backing	Osnaburg
Federal Spec	CCC-W-408A, Type II
CFFA Spec	CFFA-W-101-D, Type II
Fire testing	-NFPA 101, Life Safety Code -NFPA 255 (UL 723, CAN/ULC S102M) Tunnel Test, Class A -NFPA 286 Corner Burn Test, Meets requirements for Flame Spread and Smoke Developed -UL labeled and listed
Flame Spread	15
Smoke Developed	30
VOC	-Passed Test Protocol CA DHS Section 01350 for low VOC Emissions -Test Method CA/DHS/EHLB/R-174

Vinyl wallcoverings contain bactericides and mildew inhibitors to protect the product from microbiological and mildew growth.

Vinyl wallcoverings are manufactured Cadmium- and Mercury-free.

Within commercially acceptable tolerances, some variation of color may occur between dye lots.